

INDEX MAPS.

T. 29 N. R. 10 W. 2nd Mer.

6	5	4	3	2	1 ¹¹³
7	8	9	10	11	12 ¹¹⁵
18	17 <i>Illinois</i>	16	15	14	13 ¹¹²
19	20	21	22	23	24 ¹¹⁴
30	29	28	27	26	25 ¹¹¹
31	32	33	34	35	36 ¹¹¹

T. 30 N. R. 10 W. 2nd Mer.

6	5	4	3	2	1 ¹²⁰
7	8	9	10	11	12 ¹²⁰
18	17 <i>Illinois</i>	16	15	14	13 ¹²⁰
19	20	21	22	23	24 ¹²⁰
30	29	28	27	26	25 ¹¹⁹
31	32	33	34	35	36 ¹¹⁹

The figures on the lines refer to the page.

South Boundary

West on South Side Sec. 36
 40.00 Set Dr. Sec. post in prairie where raise a mound
 75.07 Intersect State line 21.00 South of 106th mile
 post, where set post at Intersection & raise a mound
 Rolling, good prairie, some wet places
 Surveyed April 7th 1834 by
 Robert Clark Esq. Dep^t Sur.

East Boundary

North on East Side Sec. 36
 40.00 Set Dr. Sec. post in prairie where raise a mound
 77.50 Enter marsh
 80.00 Set post cor. to Secs 25 & 36 in marsh where
 raise a mound, land rolling prairie 2nd rate
 some low and wet places,

North on East Side Sec. 25

6.00 Leave marsh & enter dry prairie
 21.00 Enter marsh again
 25.00 Leave do & enter scattering timber
 30.00 Enter marsh again
 40.00 Set Dr. Sec. post in marsh from which
 a Br Oak 13 in. dia. bears S. 75th W. 9. 64 the dis^t,
 no other tree, water too deep for a mound
 76.00 Leave marsh & enter barrens
 80.00 Set post cor. to Secs 24 & 25 from which
 a Y. Oak 17 in. dia. bears N. 38 W. 62 the dis^t,
 & a Y. Oak 20 " " " S. 35 W. 101 " "
 Dry land, level, poor barrens. thirly timber with
 Y. Oak

North on East Side Sec. 24

40.00 Set Dr. Sec. post from which

S. 29 N. R. 10 W. 2nd Mer. Indiana

- @ W. Oak 16 in. dia. bears S. 79 1/2 W. 63 1/2 dist.
 & @ " Do 17 " " " N. 87 1/2 W. 51 " "
 50.00 Enter Marsh
 63.50 To stream 100 yds. wide on S. W. Beaver Creek
 Very Sluggish
 68.00 Leave Marsh
 71.00 To a Y. Oak 19 in. dia.
 75.00 " Point of Creek Marsh from S. W.
 80.00 Set post on top of S. 13 & 24 from which
 @ Y. Oak 16 in. dia. bears S. 57 1/2 W. 58 1/2 dist.
 & @ W. Oak 30 " " " N. 55 W. 148 " "
 my land South of Marsh level + low. N. of Marsh
 rolling, both sides poor barrens Very thick timbered
 with white & yellow oak,

- North on East Side Sec. 13
 2.00 Leave Marsh
 3.27 To a Y. Oak 16 in. dia.
 40.00 Set on Sec. post from which
 @ W. Oak 16 in. dia. bears N. 44 W. 54 1/2 dist.
 & @ " Do 22 " " " S. 51 W. 43 " "
 70.00 Enter Wet prairie
 76.50 Leave " Do
 80.00 Set post on top of S. 12 & 13 from which
 @ H. Oak 12 in. dia. bears S. 16 W. 19 1/2 dist.
 & @ " Do 12 " " " N. 58 W. 139 " "
 Land rolling poor sandy barrens, thick timbered
 with W. & Y. Oak,

- North on East Side Sec. 12
 8.00 Enter Marsh
 35.00 Leave do
 37.81 To a Y. Oak 12 in. dia.
 40.00 Set on Sec. post from which
 @ Y. Oak 6 in. dia. bears N. 47 W. 30 1/2 dist.
 & @ " Do 16 " " " S. 84 W. 150 " "

55.00 To an Indian Trail cr. N. W.
 72.94 " @ Y. oak 12 in. dia,
 80.00 Set post cr. to Sec. 1 & 12 from which
 a R. oak 15 in. dia, bears N. 66 W. 128 lbs. dist,
 & a " Do 15 " " " S. 20 W. 236 " "
 N. of marsh land level low poor barrens, poor soil
 and thick timbered with N. & Y. oak

North on East Side Sec. 1

40.00 Set q. Sec. post from which
 a Y. oak 16 in. dia, bears N. 17 1/4 W. 159 lbs. dist,
 & a R. oak 10 " " " N. 74 3/4 E. 148 " "
 42.83 To a Y. oak 26 " "
 59.50 Enter marsh
 82.26 Town corner of T. 29 & 30 N. — R. 9 & 10 W.
 S. 20.00 chs low & wet without timbered dry part
 of Remains rolling poor & sandy
 Surveyed April 5 & 6, 1834 by
 Robert Clark Jr.,
 Dep't. Sur.

North Boundary

(W. on 5° 50' E.)

West on South Side Sec 36 T. 30 N. R. 10 W.
 23.00 Leave wet prairie
 24.46 To a Y. oak 18 in. dia,
 40.00 Set q. Sec. post from which
 a Y. oak 4 in. dia, bears N. 83 E. 24 lbs. dist,
 & a Y. oak 7 " " " N. 32 W. 50 " "
 45.00 Enter wet prairie
 76.90 To State line 29, 62 South of 112th mile post
 where Set post from which
 a Y. oak 24 in. dia, bears N. 11 1/2 E. 296 lbs. dist,
 & a Y. oak 26 " " " N. 26 E. 657 " "
 Land rolling & 2nd rate timber oak
 Surveyed July 11th 1834 by, Robert Clark Jr. Dep. Sur.

G. 29 N. R. 10 W. 2nd Mer. Indiana,

C. M. S.

Subdivisions

Cor. 6° 20' E,

West

True line between Sections 25 & 36

40.00

Set Dr. & c. post where raise a mound. pit 6.3 lks. dist.

75.38

Intersect State line where set post & raise a mound

Cor. to Sec. 25 & 36. pit South 3 lks. dist.

prairie generally rolling sandy & dry rich soil

November 28th 1834

West

true line between Sec. 24 & 25

4.82

To a Blk Oak 15 in. dia,

19.83

" a Do Do 15 " "

40.00

Set Dr. & c. post from which

a B. Oak 24 in. dia. bears S. 72 E. 300 lks. dist.

& a " Do 36 " " " N. 47 W. 117 " "

43.50

enter prairie

75.45

Intersect State line between Indiana & Illinois where

Set post Cor. to Sec. 24 & 25 from which

a Blk. Oak 24 in. dia. bears N. 61½ E. 99 lks. dist.

No other tree near,

prairie rich. Timber Oak of all kinds & undergrowth

none. Soil sand, sand moderately uneven,

West

on True line between Sec. 13 & 24

25.48

To a Blk. Oak 18 in. dia,

40.00

Set Dr. & c. post from which

a W. Oak 12 in. dia bears S. 14½ E. 118 lks. dist.

& a " Do 12 " " " N. 36½ W. 161 " "

58.16

To a Blk Oak 20 " "

75.71

Intersect State line between Indiana & Illinois 28, 25

South of the 109th mile post, where set post Cor.

to Sec. 13 & 24 from which

a B. Oak 14 in. dia. bears N. 87 E. 103 lks. dist.

& a " Do 15 " " " S. 83½ E. 150 " "

Sand rolling & sandy Timber W. Blk. Yew & Red oak und-

ergrowth Saw 2nd rate Dec. 31st 1834

West on True line between Sec. 12 & 13
 30.30 To W. Oak 24 in. diam.
 40.00 Set Dr. Sec. post from which
 @ W. Oak 10 in. diam. bears N. 85 E. 35 lks. dist.
 & @ B. Oak 10 " " " N. 54 E. 77 " "
 54.75 To " Do 22 " "
 61.12 " " Do 30 " "
 75.66 " Intersect State line between Indiana & Illinois
 where set post cor. to Sec. 12 & 13 from which
 @ W. Oak 18 in. diam. bears N. 53 E. 95 lks. dist.
 & @ " Do 18 " " " N. 73 E. 29 " "
 Level level and sandy, Timber W. & Blk Oak & Blk
 Gum, underground Oak, Soil 2nd rate Jan 1st 1858,

West on True line between Sec. 1 & 12
 18.50 Enter marshy prairie
 39.50 Leave Do. Do & enter Timber
 40.00 Set 4th Sec. post from which
 @ B. Oak 36 in. diam. bears S. 27 E. 125 lks. dist.
 & @ " Do 24 " " " N. 58 E. 40 " "
 41.30 To " Do 26 " "
 48.18 " @ B. Oak 26 " "
 53.15 " @ " Do 30 " "
 76.10 Intersect State line between Indiana & Illinois
 where set post cor. to Sec. 1 & 12 from which
 @ Red Oak 15 in. diam. bears S. 71 E. 340 lks. dist.
 & @ Do Do 12 " " " N. 74 E. 225 " "
 Oak of all kinds, Soil sandy poor & level
 January 2nd 1858

This Township contains little good land & the timber
 is shrubby & scattering there are however some tolerably
 good situations South of the Creek as usual in this
 region, there are no Springs nor Stone quarries &
 the land is generally level

T. 29 N. — R. 10 W. 2nd Mer. Indiana.

I hereby certify that in pursuance of a contract
with Mr. J. Williams Surveyor General of the United
States for the States of Ohio & Indiana & the Territory of
Michigan bearing date the 27th of September 1834
& in strict conformity with the Laws of the Unit-
ed States & the instructions of the said Surveyor Genl,
I have surveyed & subdivided into Sections fractional
Township No 29 North of Range No 10 West of the 3rd
principal Meridian in the State of Indiana and I
do further certify that the foregoing are the true &
original field notes of the said Survey & subdivisions
Executed as aforesaid, Certified this 2nd of May
1835

Samuel Gooch now
Dept. Sur,

Fredrich Lychtgert }
Asa C. Tomlinson } Chairman
William D. Porter } Member,

I certify that the foregoing transcript of field
notes of Township 29 North of Range 10 West 2nd
Meridian State of Indiana has been compared
with the original in this office and found
to be correct

William Johnston
Dep. Genl.

Surveyor General's Office
Cincinnati, Dec^r 30th 1842